




FRONT VIEW



Pin #	Assignment
1	Top
2	Top sense
3	Bottom sense
4	Bottom
5	Left
6	Left sense
7	Right sense
8	Right



- NOTES:
1. ITO GLASS THICKNESS : 1.80mm (C.S.)
  2. OVERALL THICKNESS : 2.35±0.30mm
  3. CONNECTOR AND PINOUT AS INDICATED
  4. FRONT SURFACE : CLEAR HARDCOAT
  5. LAYER TO LAYER ASSEMBLY TOLERANCE: ±0.50mm
  6. TAIL TYPE : IMMERSION GOLD PLATED FPC WITH BERG CONNECTOR
  7. CONNECTOR : BERG P/N 65801-008LF
  8. SEAMED GLASS EDGES
  9. CONSTRUCTION: CR TYPE WITH 1/4λ RETARDATION FILM ON GLASS SIDE
  10. OTHER SPEC : SEE APPROVAL SHEET



NO.	DATE	DESCRIPTION	CHK
REVISION			
CHIEF OF DESIGN		APPROVED	Alex
ENGINEER		PROJECT NUMBER	
DRAWN BY	Denise	DATE	JUL 21, 2008
SHEET	1 OF 1	REV.	

Apex Material Technology Corp.

TOLERANCES UNLESS SPECIFIED		MODEL NAME : 70031
.X	± 0.50	DWG NO : 70031-0-011
.XX	± 0.50	
.XXX	± 0.30	
ANGULAR	.	SCALE: 1:1 UNIT: mm